



Model: AJ4510P-FZ3A

(AJ4510P-FZ)

Product Description

Compressor Type: Reciprocating

Application: HBP - High Back Pressure

Refrigerant: R-404A/R-448A/R-449A/R-452A/R-454C/R-455A

Voltage/Frequency: 220-240V ~ 50Hz

Version: AJ2 Series

Specifications

General

- Evaporating Temp. Range :-15°C to 15°C (5°F to 59°F)
- Motor Torque: High Start Torque (HST)
- Compressor Cooling: Fan

Mechanical

- Displacement (cc): 18.3
- Oil Type: Polyolester
- Viscosity (cSt): 32
- Oil Charge (cc): 475

Electrical

- Locked Rotor Amps (LRA): 29.5
- Rated Load Amps (RLA 60Hz): 0
- Voltage Range (50Hz): 198-253
- Rated Load Amps (RLA 50Hz): 5.4
- Max. Continuous Current (MCC in Amps): 7.5
- Motor Resistance (Ohm) - Main: 2.94
- Motor Resistance (Ohm) - Start: 8.83
- Motor Type: CSR

Agency Approval

VDE_LISTED, CE_LISTED, CCC_LISTED, GOST_LISTED

Performance

[See all performance data](#)

Item

- AJ4PB1JF603A01-M
- AJ4PB1JF603A04
- AJ4PB1JF603A04-M
- AJ4PB1JF603A06
- AJ4PB1JF603A06-M
- AJ4PB1JF704A06
- AJ4PB1JF704A06-M
- AJ4PB1JF704A08
- AJ4PB1JF704A08-M