



Model: AJ4517P-FZ3A

(AJ4517P-FZ)

Product Description

Compressor Type: Reciprocating

Application: HBP - High Back Pressure

Refrigerant: R-404A/R-448A/R-449A/R-452A/R-454C/R-455A

Voltage/Frequency: 220-240V ~ 50Hz

Version: AJ2 Series

Specifications

General

- Evaporating Temp. Range :-15°C to 15°C (5°F to 59°F)
- Motor Torque: High Start Torque (HST)
- Compressor Cooling: Fan

Mechanical

- Displacement (cc): 25.95
- Oil Type: Polyolester
- Viscosity (cSt): 32
- Oil Charge (cc): 475

Electrical

- Locked Rotor Amps (LRA): 42.2
- Rated Load Amps (RLA 60Hz): 0
- Voltage Range (50Hz): 198-253
- Rated Load Amps (RLA 50Hz): 7.6
- Max. Continuous Current (MCC in Amps): 11.2
- Motor Resistance (Ohm) - Main: 2.03
- Motor Resistance (Ohm) - Start: 7.6
- Motor Type: CSR

Agency Approval

VDE_LISTED, CE_LISTED, CCC_LISTED, GOST_LISTED

Performance

[See all performance data](#)

Item

- AJ4PL1JF606A01-M
- AJ4PL1JF606A04-M
- AJ4PL1JF606A06
- AJ4PL1JF606A06-M
- AJ4PL1JF707A06
- AJ4PL1JF707A06-M
- AJ4PL1JF707A08
- AJ4PL1JF707A08-M
- AJ4PL1JF707A66